


Data Mining Cluster Analysis: Basic Concepts and Algorithms

Lecture Notes for Chapter 7

Introduction to Data Mining
by
Tan, Steinbach, Kumar

What is Cluster Analysis?

Given a set of objects, place them in groups such that the objects in a group are similar (or related) to one another and different from (or unrelated to) the objects in other groups



Applications of Cluster Analysis


Understanding

- Group related documents for browsing, group genes and proteins that have similar functionality, or group stocks with similar price fluctuations

	<i>Discovered Clusters</i>	<i>Industry Group</i>
1	Applied-Matl-DOWN,Bay-Network-Down,3-COM-DOWN,Cabletron-Sys-DOWN,CISCO-DOWN,HP-DOWN,DSC-Comm-DOWN,INTEL-DOWN,LSI-Logic-DOWN,Micron-Tech-DOWN,Texas-Inst-Down,Tellabs-Inc-Down,Natl-Semiconduct-DOWN,Oracl-DOWN,SGI-DOWN,Sun-DOWN	Technology1-DOWN
2	Apple-Comp-DOWN,Autodesk-DOWN,DEC-DOWN,ADV-Micro-Device-DOWN,Andrew-Corp-DOWN,Computer-Assoc-DOWN,Circuit-City-DOWN,Compaq-DOWN,EMC-Corp-DOWN,Gen-Inst-DOWN,Motorola-DOWN,Microsoft-DOWN,Scientific-Atl-DOWN	Technology2-DOWN
3	Fannie-Mae-DOWN,Fed-Home-Loan-DOWN,MBNA-Corp-DOWN,Morgan-Stanley-DOWN	Financial-DOWN
4	Baker-Hughes-UP,Dresser-Inds-UP,Halliburton-HLD-UP,Louisiana-Land-UP,Phillips-Petro-UP,Unocal-UP,Schlumberger-UP	Oil-UP



Summarization

- Reduce the size of large data sets





Clustering precipitation
in Australia



Notion of a Cluster can be Ambiguous





How many clusters?



Six Clusters



Two Clusters



Four Clusters


Types of Clusterings

A **clustering** is a set of clusters



Important distinction between **hierarchical** and **partitional** sets of clusters

- Partitional Clustering
 - ◆ A division of data objects into non-overlapping subsets (clusters)
- Hierarchical clustering
 - ◆ A set of nested clusters organized as a hierarchical tree

Partitional Clustering




Original Points




A Partitional Clustering


Hierarchical Clustering




Traditional Hierarchical Clustering



Traditional Dendrogram



Non-traditional Hierarchical Clustering



Non-traditional Dendrogram

Other Distinctions Between Sets of Clusters

Exclusive versus non-exclusive

- In non-exclusive clusterings, points may belong to multiple clusters.
 - ◆ Can belong to multiple classes or could be 'border' points
- Fuzzy clustering (one type of non-exclusive)
 - ◆ In fuzzy clustering, a point belongs to every cluster with some weight between 0 and 1
 - ◆ Weights must sum to 1
 - ◆ Probabilistic clustering has similar characteristics

Partial versus complete

- In some cases, we only want to cluster some of the data

Types of Clusters

Well-separated clusters

Prototype-based clusters

Contiguity-based clusters


Density-based clusters

Described by an Objective Function

Types of Clusters: Well-Separated

Well-Separated Clusters:

- A cluster is a set of points such that any point in a cluster is closer (or more similar) to every other point in the cluster than to any point not in the cluster.




3 well-separated clusters

Types of Clusters: Prototype-Based

Prototype-based

- A cluster is a set of objects such that an object in a cluster is closer (more similar) to the prototype or “center” of a cluster, than to the center of any other cluster
- The center of a cluster is often a **centroid**, the average of all the points in the cluster, or a **medoid**, the most “representative” point of a cluster







4 center-based clusters

Types of Clusters: Contiguity-Based

Contiguous Cluster (Nearest neighbor or Transitive)

- A cluster is a set of points such that a point in a cluster is closer (or more similar) to one or more other points in the cluster than to any point not in the cluster.




8 contiguous clusters

Types of Clusters: Density-Based

Density-based

- A cluster is a dense region of points, which is separated by low-density regions, from other regions of high density.
- Used when the clusters are irregular or intertwined, and when noise and outliers are present.



6 density-based clusters

Types of Clusters: Objective Function

Clusters Defined by an Objective Function

- Finds clusters that minimize or maximize an objective function.
- Enumerate all possible ways of dividing the points into clusters and evaluate the 'goodness' of each potential set of clusters by using the given objective function. (NP Hard)
- Can have global or local objectives.
 - ◆ Hierarchical clustering algorithms typically have local objectives
 - ◆ Partitional algorithms typically have global objectives
- A variation of the global objective function approach is to fit the data to a parameterized model.
 - ◆ Parameters for the model are determined from the data.
 - ◆ Mixture models assume that the data is a 'mixture' of a number of statistical distributions.

Characteristics of the Input Data Are Important

Type of proximity or density measure

- Central to clustering
- Depends on data and application

Data characteristics that affect proximity and/or density are

- Dimensionality
 - ◆ Sparseness
- Attribute type
- Special relationships in the data
 - ◆ For example, autocorrelation
- Distribution of the data

Noise and Outliers

- Often interfere with the operation of the clustering algorithm

Clusters of differing sizes, densities, and shapes

Clustering Algorithms

K-means and its variants

Hierarchical clustering

Density-based clustering

K-means Clustering

Partitional clustering approach

Number of clusters, K , must be specified


Each cluster is associated with a **centroid** (center point)

Each point is assigned to the cluster with the closest centroid


The basic algorithm is very simple

-
- 1: Select K points as the initial centroids.
 - 2: **repeat**
 - 3: Form K clusters by assigning all points to the closest centroid.
 - 4: Recompute the centroid of each cluster.
 - 5: **until** The centroids don't change
-

Example of K-means Clustering



Example of K-means Clustering



K-means Clustering – Details

Simple iterative algorithm.

- Choose initial centroids;
- repeat {assign each point to a nearest centroid; re-compute cluster centroids}
- until centroids stop changing.

Initial centroids are often chosen randomly.

- Clusters produced can vary from one run to another

The centroid is (typically) the mean of the points in the cluster, but other definitions are possible (see Table 7.2).

K-means will converge for common proximity measures with appropriately defined centroid (see Table 7.2)

Most of the convergence happens in the first few iterations.

- Often the stopping condition is changed to ‘Until relatively few points change clusters’

Complexity is $O(n * K * I * d)$

- n = number of points, K = number of clusters,
 I = number of iterations, d = number of attributes

K-means Objective Function




A common objective function (used with Euclidean distance measure) is Sum of Squared Error (SSE)

- For each point, the error is the distance to the nearest cluster center
- To get SSE, we square these errors and sum them.


$$SSE = \sum_{i=1}^K \sum_{x \in C_i} dist^2(m_i, x)$$

- x is a data point in cluster C_i and m_i is the centroid (mean) for cluster C_i
- SSE improves in each iteration of K-means until it reaches a local or global minima.


Two different K-means Clusterings



Importance of Choosing Initial Centroids ...




Importance of Choosing Initial Centroids ...



Importance of Choosing Initial Centroids

Depending on the choice of initial centroids, B and C may get merged or remain separate



Problems with Selecting Initial Points


If there are K 'real' clusters then the chance of selecting one centroid from each cluster is small.

- Chance is relatively small when K is large
- If clusters are the same size, n , then

$$P = \frac{\text{number of ways to select one centroid from each cluster}}{\text{number of ways to select } K \text{ centroids}} = \frac{K!n^K}{(Kn)^K} = \frac{K!}{K^K}$$





- For example, if $K = 10$, then probability = $10!/10^{10} = 0.00036$
- Sometimes the initial centroids will readjust themselves in 'right' way, and sometimes they don't
- Consider an example of five pairs of clusters

10 Clusters Example




Starting with two initial centroids in one cluster of each pair of clusters

10 Clusters Example





Starting with two initial centroids in one cluster of each pair of clusters

10 Clusters Example



Starting with some pairs of clusters having three initial centroids, while other have only one.

10 Clusters Example



Starting with some pairs of clusters having three initial centroids, while other have only one.

Solutions to Initial Centroids Problem

Multiple runs

- Helps, but probability is not on your side

Use some strategy to select the k initial centroids and then select among these initial centroids

- Select most widely separated
 - ◆ K-means++ is a robust way of doing this selection
- Use hierarchical clustering to determine initial centroids

Bisecting K-means

- Not as susceptible to initialization issues

K-means++

This approach can be slower than random initialization, but very consistently produces better results in terms of SSE

- The k-means++ algorithm guarantees an approximation ratio $O(\log k)$ in expectation, where k is the number of centers

To select a set of initial centroids, C , perform the following

1. Select an initial point at random to be the first centroid
2. For $k - 1$ steps
3. For each of the N points, x_i , $1 \leq i \leq N$, find the minimum squared distance to the currently selected centroids, C_1, \dots, C_j , $1 \leq j < k$, i.e., $\min_j d^2(C_j, x_i)$
4. Randomly select a new centroid by choosing a point with probability proportional to $\frac{\min_j d^2(C_j, x_i)}{\sum_i \min_j d^2(C_j, x_i)}$ is
5. End For

Bisecting K-means


Bisecting K-means algorithm

- Variant of K-means that can produce a partitional or a hierarchical clustering

```
1: Initialize the list of clusters to contain the cluster containing all points.
2: repeat
3:   Select a cluster from the list of clusters
4:   for  $i = 1$  to number_of_iterations do
5:     Bisect the selected cluster using basic K-means
6:   end for
7:   Add the two clusters from the bisection with the lowest SSE to the list of clusters.
8: until Until the list of clusters contains  $K$  clusters
```

CLUTO: <http://glaros.dtc.umn.edu/gkhome/cluto/cluto/overview>

Bisecting K-means Example



Limitations of K-means


K-means has problems when clusters are of differing

- Sizes
- Densities
- Non-globular shapes


K-means has problems when the data contains outliers.

- One possible solution is to remove outliers before clustering

Limitations of K-means: Differing Sizes




Original Points




K-means (3 Clusters)

Limitations of K-means: Differing Density




Original Points




K-means (3 Clusters)

Limitations of K-means: Non-globular Shapes




Original Points




K-means (2 Clusters)

Overcoming K-means Limitations




Original Points




K-means Clusters

One solution is to find a large number of clusters such that each of them represents a part of a natural cluster. But these small clusters need to be put together in a post-processing step.

Overcoming K-means Limitations




Original Points




K-means Clusters

One solution is to find a large number of clusters such that each of them represents a part of a natural cluster. But these small clusters need to be put together in a post-processing step.

Overcoming K-means Limitations



Original Points



K-means Clusters



One solution is to find a large number of clusters such that each of them represents a part of a natural cluster. But these small clusters need to be put together in a post-processing step.

Hierarchical Clustering

Produces a set of nested clusters organized as a hierarchical tree

Can be visualized as a dendrogram

- A tree like diagram that records the sequences of merges or splits



Strengths of Hierarchical Clustering

Do not have to assume any particular number of clusters

- Any desired number of clusters can be obtained by ‘cutting’ the dendrogram at the proper level

They may correspond to meaningful taxonomies

- Example in biological sciences (e.g., animal kingdom, phylogeny reconstruction, ...)

Hierarchical Clustering

Two main types of hierarchical clustering

- Agglomerative:
 - ◆ Start with the points as individual clusters
 - ◆ At each step, merge the closest pair of clusters until only one cluster (or k clusters) left
- Divisive:
 - ◆ Start with one, all-inclusive cluster
 - ◆ At each step, split a cluster until each cluster contains an individual point (or there are k clusters)

Traditional hierarchical algorithms use a similarity or distance matrix

- Merge or split one cluster at a time

Agglomerative Clustering Algorithm

Key Idea: Successively merge closest clusters

Basic algorithm


1. Compute the proximity matrix
2. Let each data point be a cluster
3. **Repeat**
4. Merge the two closest clusters
5. Update the proximity matrix
6. **Until** only a single cluster remains

Key operation is the computation of the proximity of two clusters

- Different approaches to defining the distance between clusters distinguish the different algorithms

Steps 1 and 2

Start with clusters of individual points and a proximity matrix



	p1	p2	p3	p4	p5	...
p1						
p2						
p3						
p4						
p5						
.						
.						
.						

Proximity Matrix





Intermediate Situation

After some merging steps, we have some clusters

	C1	C2	C3	C4	C5
C1					
C2					
C3					
C4					
C5					

Proximity Matrix





Step 4

We want to merge the two closest clusters (C2 and C5) and update the proximity matrix.


	C1	C2	C3	C4	C5
C1					
C2					
C3					
C4					
C5					

Proximity Matrix




Step 5

The question is “How do we update the proximity matrix?”




		C2 U C5			
		C1	C5	C3	C4
C1			?		
C2 U C5		?	?	?	?
C3			?		
C4			?		

Proximity Matrix



How to Define Inter-Cluster Distance



MIN

MAX

Group Average

Distance Between Centroids


Other methods driven by an objective function

- Ward's Method uses squared error

	p1	p2	p3	p4	p5	...
p1						
p2						
p3						
p4						
p5						
.						
.						
.						

Proximity Matrix

How to Define Inter-Cluster Similarity



MIN

MAX

Group Average

Distance Between Centroids


Other methods driven by an objective function

- Ward's Method uses squared error

	p1	p2	p3	p4	p5	...
p1						
p2						
p3						
p4						
p5						
.						

· Proximity Matrix

How to Define Inter-Cluster Similarity



MIN

MAX

Group Average

Distance Between Centroids


Other methods driven by an objective function

- Ward's Method uses squared error

	p1	p2	p3	p4	p5	...
p1						
p2						
p3						
p4						
p5						
.						
.						
.						

Proximity Matrix

How to Define Inter-Cluster Similarity



MIN

MAX

Group Average

Distance Between Centroids


Other methods driven by an objective function

- Ward's Method uses squared error

	p1	p2	p3	p4	p5	...
p1						
p2						
p3						
p4						
p5						
.						

Proximity Matrix

How to Define Inter-Cluster Similarity



MIN

MAX

Group Average

Distance Between Centroids

Other methods driven by an objective function

- Ward's Method uses squared error

	p1	p2	p3	p4	p5	...
p1						
p2						
p3						
p4						
p5						
.						
.						
.						


Proximity Matrix

MIN or Single Link

Proximity of two clusters is based on the two closest points in the different clusters

- Determined by one pair of points, i.e., by one link in the proximity graph


Example:




Distance Matrix:

	p1	p2	p3	p4	p5	p6
p1	0.00	0.24	0.22	0.37	0.34	0.23
p2	0.24	0.00	0.15	0.20	0.14	0.25
p3	0.22	0.15	0.00	0.15	0.28	0.11
p4	0.37	0.20	0.15	0.00	0.29	0.22
p5	0.34	0.14	0.28	0.29	0.00	0.39
p6	0.23	0.25	0.11	0.22	0.39	0.00

Hierarchical Clustering: MIN




Nested Clusters




Dendrogram

Strength of MIN




Original Points



Six Clusters


- Can handle non-elliptical shapes

Limitations of MIN




Original Points

- Sensitive to noise



Two Clusters




Three Clusters

MAX or Complete Linkage

Proximity of two clusters is based on the two most distant points in the different clusters


- Determined by all pairs of points in the two clusters




Distance Matrix:

	p1	p2	p3	p4	p5	p6
p1	0.00	0.24	0.22	0.37	0.34	0.23
p2	0.24	0.00	0.15	0.20	0.14	0.25
p3	0.22	0.15	0.00	0.15	0.28	0.11
p4	0.37	0.20	0.15	0.00	0.29	0.22
p5	0.34	0.14	0.28	0.29	0.00	0.39
p6	0.23	0.25	0.11	0.22	0.39	0.00

Hierarchical Clustering: MAX




Nested Clusters




Dendrogram

Strength of MAX




Original Points




Two Clusters

- Less susceptible to noise

Limitations of MAX



Original Points




Two Clusters

- Tends to break large clusters
- Biased towards globular clusters

Group Average

Proximity of two clusters is the average of pairwise proximity between points in the two clusters.


$$\text{proximity}(\text{Cluster}_i, \text{Cluster}_j) = \frac{\sum_{\substack{p_i \in \text{Cluster}_i \\ p_j \in \text{Cluster}_j}} \text{proximity}(p_i, p_j)}{|\text{Cluster}_i| \times |\text{Cluster}_j|}$$




Distance Matrix:

	p1	p2	p3	p4	p5	p6
p1	0.00	0.24	0.22	0.37	0.34	0.23
p2	0.24	0.00	0.15	0.20	0.14	0.25
p3	0.22	0.15	0.00	0.15	0.28	0.11
p4	0.37	0.20	0.15	0.00	0.29	0.22
p5	0.34	0.14	0.28	0.29	0.00	0.39
p6	0.23	0.25	0.11	0.22	0.39	0.00

Hierarchical Clustering: Group Average



Nested Clusters



Dendrogram

Hierarchical Clustering: Group Average

Compromise between Single and Complete Link

Strengths

- Less susceptible to noise

Limitations

- Biased towards globular clusters

Cluster Similarity: Ward's Method

Similarity of two clusters is based on the increase in squared error when two clusters are merged

- Similar to group average if distance between points is distance squared


Less susceptible to noise

Biased towards globular clusters


Hierarchical analogue of K-means

- Can be used to initialize K-means


Hierarchical Clustering: Comparison



MIN




MAX



Group Average

Ward's Method



Hierarchical Clustering: Time and Space requirements

$O(N^2)$ space since it uses the proximity matrix.

- N is the number of points.

$O(N^3)$ time in many cases

- There are N steps and at each step the size, N^2 , proximity matrix must be updated and searched
- Complexity can be reduced to $O(N^2 \log(N))$ time with some cleverness

Hierarchical Clustering: Problems and Limitations

Once a decision is made to combine two clusters, it cannot be undone

No global objective function is directly minimized

Different schemes have problems with one or more of the following:

- Sensitivity to noise
- Difficulty handling clusters of different sizes and non-globular shapes
- Breaking large clusters

Density Based Clustering

Clusters are regions of high density that are separated from one another by regions of low density.




DBSCAN

DBSCAN is a density-based algorithm.

- Density = number of points within a specified radius (Eps)
- A point is a **core point** if it has at least a specified number of points (MinPts) within Eps
 - ◆ These are points that are at the interior of a cluster
 - ◆ Counts the point itself
- A **border point** is not a core point, but is in the neighborhood of a core point
- A **noise point** is any point that is not a core point or a border point


DBSCAN: Core, Border, and Noise Points



DBSCAN: Core, Border and Noise Points



Original Points



Point types: **core**,
border and **noise**

Eps = 10, MinPts = 4

DBSCAN Algorithm


Form clusters using core points, and assign border points to one of its neighboring clusters

- 1: Label all points as core, border, or noise points.
- 2: Eliminate noise points.
- 3: Put an edge between all core points within a distance Eps of each other.
- 4: Make each group of connected core points into a separate cluster.
- 5: Assign each border point to one of the clusters of its associated core points

When DBSCAN Works Well




Original Points



Clusters (dark blue points indicate noise)


- Can handle clusters of different shapes and sizes
- Resistant to noise

When DBSCAN Does NOT Work Well




Original Points

When DBSCAN Does NOT Work Well




Original Points

- Varying densities
- High-dimensional data



(MinPts=4, Eps=9.92).




(MinPts=4, Eps=9.75)

DBSCAN: Determining EPS and MinPts

Idea is that for points in a cluster, their k^{th} nearest neighbors are at close distance

Noise points have the k^{th} nearest neighbor at farther distance

So, plot sorted distance of every point to its k^{th} nearest neighbor



Cluster Validity

For supervised classification we have a variety of measures to evaluate how good our model is

- Accuracy, precision, recall

For cluster analysis, the analogous question is how to evaluate the “goodness” of the resulting clusters?

But “clusters are in the eye of the beholder”!


- In practice the clusters we find are defined by the clustering algorithm

Then why do we want to evaluate them?


- To avoid finding patterns in noise
- To compare clustering algorithms
- To compare two sets of clusters
- To compare two clusters

Clusters found in Random Data


Random
Points




DBSCAN



K-means



Complete
Link



Measures of Cluster Validity

Numerical measures that are applied to judge various aspects of cluster validity, are classified into the following two types.

- **Supervised:** Used to measure the extent to which cluster labels match externally supplied class labels.
 - ◆ Entropy
 - ◆ Often called *external indices* because they use information external to the data
- **Unsupervised:** Used to measure the goodness of a clustering structure *without* respect to external information.
 - ◆ Sum of Squared Error (SSE)
 - ◆ Often called *internal indices* because they only use information in the data

You can use supervised or unsupervised measures to compare clusters or clusterings

Unsupervised Measures: Cohesion and Separation

Cluster Cohesion: Measures how closely related are objects in a cluster

- Example: SSE

Cluster Separation: Measure how distinct or well-separated a cluster is from other clusters

Example: Squared Error

- Cohesion is measured by the within cluster sum of squares (SSE)

$$SSE = \sum_i \sum_{x \in C_i} (x - m_i)^2$$

- Separation is measured by the between cluster sum of squares


$$SSB = \sum_i |C_i| (m - m_i)^2$$

Where $|C_i|$ is the size of cluster i

Unsupervised Measures: Cohesion and Separation

Example: SSE

- $SSB + SSE = \text{constant}$



K=1 cluster: $SSE = (1 - 3)^2 + (2 - 3)^2 + (4 - 3)^2 + (5 - 3)^2 = 10$

$$SSB = 4 \times (3 - 3)^2 = 0$$

$$Total = 10 + 0 = 10$$

K=2 clusters: $SSE = (1 - 1.5)^2 + (2 - 1.5)^2 + (4 - 4.5)^2 + (5 - 4.5)^2 = 1$


$$SSB = 2 \times (3 - 1.5)^2 + 2 \times (4.5 - 3)^2 = 9$$

$$Total = 1 + 9 = 10$$


Unsupervised Measures: Cohesion and Separation

A proximity graph-based approach can also be used for cohesion and separation.

- Cluster cohesion is the sum of the weight of all links within a cluster.
- Cluster separation is the sum of the weights between nodes in the cluster and nodes outside the cluster.



cohesion



separation

Unsupervised Measures: Silhouette Coefficient


Silhouette coefficient combines ideas of both cohesion and separation, but for individual points, as well as clusters and clusterings

For an individual point, i

- Calculate a = average distance of i to the points in its cluster
- Calculate b = min (average distance of i to points in another cluster)
- The silhouette coefficient for a point is then given by

$$s = (b - a) / \max(a, b)$$

- Value can vary between -1 and 1
- Typically ranges between 0 and 1.
- The closer to 1 the better.



Can calculate the average silhouette coefficient for a cluster or a clustering

Measuring Cluster Validity Via Correlation

Two matrices

- Proximity Matrix
- Ideal Similarity Matrix
 - ◆ One row and one column for each data point
 - ◆ An entry is 1 if the associated pair of points belong to the same cluster
 - ◆ An entry is 0 if the associated pair of points belongs to different clusters

Compute the correlation between the two matrices

- Since the matrices are symmetric, only the correlation between $n(n-1) / 2$ entries needs to be calculated.




High magnitude of correlation indicates that points that belong to the same cluster are close to each other.

- Correlation may be positive or negative depending on whether the similarity matrix is a similarity or dissimilarity matrix

Not a good measure for some density or contiguity based clusters.

Measuring Cluster Validity Via Correlation


Correlation of ideal similarity and proximity matrices for the K-means clusterings of the following well-clustered data set.





Corr = 0.9235

Measuring Cluster Validity Via Correlation

Correlation of ideal similarity and proximity matrices for the K-means clusterings of the following random data set.





K-means



Corr = 0.5810



Judging a Clustering Visually by its Similarity Matrix

Order the similarity matrix with respect to cluster labels and inspect visually.





Judging a Clustering Visually by its Similarity Matrix

Clusters in random data are not so crisp



DBSCAN



Judging a Clustering Visually by its Similarity Matrix



DBSCAN



Determining the Correct Number of Clusters

SSE is good for comparing two clusterings or two clusters
SSE can also be used to estimate the number of clusters



Determining the Correct Number of Clusters

SSE curve for a more complicated data set



SSE of clusters found using K-means

Supervised Measures of Cluster Validity: Entropy and Purity

Table 5.9. K-means Clustering Results for LA Document Data Set

Cluster	Entertainment	Financial	Foreign	Metro	National	Sports	Entropy	Purity
1	3	5	40	506	96	27	1.2270	0.7474
2	4	7	280	29	39	2	1.1472	0.7756
3	1	1	1	7	4	671	0.1813	0.9796
4	10	162	3	119	73	2	1.7487	0.4390
5	331	22	5	70	13	23	1.3976	0.7134
6	5	358	12	212	48	13	1.5523	0.5525
Total	354	555	341	943	273	738	1.1450	0.7203

entropy For each cluster, the class distribution of the data is calculated first, i.e., for cluster j we compute p_{ij} , the ‘probability’ that a member of cluster j belongs to class i as follows: $p_{ij} = m_{ij}/m_j$, where m_j is the number of values in cluster j and m_{ij} is the number of values of class i in cluster j . Then using this class distribution, the entropy of each cluster j is calculated using the standard formula $e_j = \sum_{i=1}^L p_{ij} \log_2 p_{ij}$, where the L is the number of classes. The total entropy for a set of clusters is calculated as the sum of the entropies of each cluster weighted by the size of each cluster, i.e., $e = \sum_{j=1}^K \frac{m_j}{m} e_j$, where m_j is the size of cluster j , K is the number of clusters, and m is the total number of data points.

purity Using the terminology derived for entropy, the purity of cluster j , is given by $purity_j = \max_i p_{ij}$ and the overall purity of a clustering by $purity = \sum_{j=1}^K \frac{m_j}{m} purity_j$.

Assessing the Significance of Cluster Validity Measures

Need a framework to interpret any measure.

- For example, if our measure of evaluation has the value, 10, is that good, fair, or poor?


Statistics provide a framework for cluster validity

- The more “atypical” a clustering result is, the more likely it represents valid structure in the data
- Compare the value of an index obtained from the given data with those resulting from random data.
 - ◆ If the value of the index is unlikely, then the cluster results are valid


Statistical Framework for SSE

Example

- Compare SSE of three cohesive clusters against three clusters in random data




SSE = 0.005



Histogram shows SSE of three clusters in 500 sets of random data points of size 100 distributed over the range 0.2 – 0.8 for x and y values


Statistical Framework for Correlation

Correlation of ideal similarity and proximity matrices for the K-means clusterings of the following two data sets.




Corr = -0.9235

Correlation is negative because it is calculated between a distance matrix and the ideal similarity matrix. Higher magnitude is better.



Corr = -0.5810



Histogram of correlation for 500 random data sets of size 100 with x and y values of points between 0.2 and 0.8.

Final Comment on Cluster Validity

“The validation of clustering structures is the most difficult and frustrating part of cluster analysis.

Without a strong effort in this direction, cluster analysis will remain a black art accessible only to those true believers who have experience and great courage.”

Algorithms for Clustering Data, Jain and Dubes

H. Xiong and Z. Li. *Clustering Validation Measures*. In C. C. Aggarwal and C. K. Reddy, editors, *Data Clustering: Algorithms and Applications*, pages 571–605. Chapman & Hall/CRC, 2013.